

**ADDENDUM NO. 1
TO SPECIFICATIONS FOR:
2021 SEWER REHABILITATION PROGRAM
BLOOMFIELD TOWNSHIP, MICHIGAN**

Issued: June 16, 2021

HRC Job No. 20210299

This Addendum is issued prior to receipt of proposals to provide for certain changes and clarifications to the Specifications and/or the Drawings, as herein specified, and is hereby made a part of the Contract Documents and shall be taken into consideration in preparing the Proposal. All other conditions remain the same. **The Proposer shall acknowledge the receipt of this Addendum by signing below, including this addendum with their proposals, and completing the Addenda section on Page 4 of the Proposal Form (Section 00300).** Failure to sign the Addenda Section of the Proposal Form in the submission of the proposal may be justification for the proposal being rejected as non-responsive.

The following lists the extent of this Addendum. Descriptions of the changes or clarifications are given within each heading:

SPECIFICATION CHANGES:

≡ None

PROSPECTIVE BIDDER QUESTIONS:

≡ “Do you anticipate the contractor to continually monitor inside of all residents homes during the installation process or is this a case by case basis if a smell is detected?”

As described in Section 02708, section 1.6 part K (1): “The Contractor must submit a Styrene Odor Control Plan Requiring 1) Method to continually monitor styrene resin odors inside the building or structures of connected service laterals (residential homes and commercial businesses) during the liner installation, inversion, and curing process. “

We anticipate the contractor monitoring odor levels, but we understand that at times Homeowners may not be present during specified working hours, and thus entry to the home or business may not be available. The contractor should have the ability to continually monitor odors during installations, as required by the Styrene Odor Control Plan submittal. Effort should be made to monitor odor levels at each connected building structure if the homeowner participates and allows access.

See also Section 02708, section 1.7:

“The Contractor shall monitor and record styrene odor levels when monitoring structures (1.6 K.1) and when requested by the Owner or engineer.”

See also Section 02708, section 3.11:

“Submit record of styrene level measurements to the Owner’s Representative at the end of each working Day. If a styrene odor complain is received, Contractor shall mobilize device to the site of the compliant and measure styrene levels every 15 minutes for a minimum of one hour at no additional cost to the Owner.”

Delhi Township
2101 Aurelius Rd.
Suite 2A
Holt, MI 48842
517-694-7760

Detroit
535 Griswold St.
Buhl Building, Ste 1650
Detroit, MI 48226
313-965-3330

Grand Rapids
1925 Breton Road SE
Suite 100
Grand Rapids, MI 49506
616-454-4286

Howell
105 W. Grand River
Howell, MI 48843
517-552-9199

Jackson
401 S. Mechanic St.
Suite B
Jackson, MI 49201
517-292-1295

Kalamazoo
834 King Highway
Suite 107
Kalamazoo, MI 49001
269-665-2005

Lansing
215 S. Washington SQ
Suite D
Lansing, MI 48933
517-292-1488

- ☰ "Are we allowed to use our own procedures and testing equipment if a complaint is noticed or do we need to have a third party testing company complete the testing"

As described in Section 02708, section 1.6 part K:

As described in Section 02708, section 1.6 part K (5): The Contractor must submit a Styrene Odor Control Plan Requiring 5) Name of the equipment for sampling and measuring styrene odors.

The contractor may supply and operate their own procedures and testing equipment. The field procedures of the company and names of testing equipment should be documented in the Styrene Odor Control Plan submittal.

SUMMARY:

This Addendum No. 1 has been issued in order to clarify, modify, and add additional items to the original Bid Package. A copy of the amended pages of the Contract Documents noted in this addendum have been posted online at <http://www.hrcengr.com/bid-info>. The Bidder shall acknowledge receipt of this Addendum No. 1 by signing in the location provided below and incorporating this Addendum No. 1 with the submission of his bid. Failure to include Addendum No. 1 and its attachments may result in rejection of the bid.

If you have any questions or require any additional information, please contact the undersigned.

Respectfully submitted,

HUBBELL, ROTH & CLARK, INC.



Matthew G. Hughes, P.E.
Staff Engineer

Attachment

Enclosure

pc: All Plan holders
Bloomfield Township; O. Olstzyn-Budry, C. Borton
HRC; K. Stickel, S. Carver (Front Desk), N. Womack (Repro) File

Received and Acknowledged By:

Company: _____

Signature: _____

Printed Name: _____

Title: _____

Dated: _____